


TECHNICAL DATA	UNIT.	DTP2-11 STACK	DTP2-18 STACK		
CAPACITY					
Capacity 1/18	Kg	23	37		
Capacity 1/20	Kg	22	34		
Hourly Output	Kg/h	34	53		
Evaporation capacity	l/h	17,5	27,4		
DRUM					
Ø Drum	mm	750	750		
Ø Door	mm	574	574		
Door center height	mm	547/1.522	547/1.522		
Load hole bottom height	mm	260/1.235	260/1.235		
Drum length	mm	475	746		
Drum volume	l	210	330		
POWER					
Drum motor power	Kw	0,25*2	0,25*2		
Fan Motor Power	Kw	0,25*2	0,25*2		
Total Installed power	Kw	25,1	25,1		
Electric Heating (Installed power)	Kw	12x2	12x2		
Gas heating (installed Power) in KW	Kw	12x2	12x2		
Gas heating (installed el. power)	Kw	1,1	1,1		
CONNECTIONS		ELECTRICAL	GAS	ELECTRICAL	GAS
Tension 230V - I + N + T	Nº x mm2 / A	-	3 x 1,5 / 20A	-	3 x 1,5 / 20A
Tension 230V - III + T	Nº x mm2 / A	4 x 25 / 80A	4 x 1,5 / 20A	4 x 25 / 80A	4 x 1,5 / 20A
Tension 400V - III + N + T	Nº x mm2 / A	5 x 10 / 40A	5 x 1,5 / 20A	5 x 10 / 40A	5 x 1,5 / 20A
DIMENSIONS / PACKING DIMENSIONS					
Width / Width	mm	785/865		785/865	
Depth / Depth	mm	955/1.055		1.225/1.325	
Height / Height	mm	1.980/2.126		1.980/2.126	
Net weight / Gross weight	Kg	260/268		290/303	
OTHERS					
Max airflow	m3/h	500*2		500*2	
Ø Fume exhaust	mm	200		200	
Sound level	dB	64		64	



- 1A. Fumes outlet (rear option)
- 1B. Fumes outlet (upper option)
- 02. Electrical connection
- 03. Gas connection
- 04. Anti fire water valves

	A	B	C	D1	D2	E	F	G	H	I	J	K	L1	L2	M
DTP2-11	785	955	1.980	189	1.164	574	111	1.031	1.686	135	135	721	63	133	105
DTP2-18	785	1.225	1.980	189	1.164	574	111	1.031	1.686	135	135	721	63	133	105